

# Eagle Pro Industrial ESA Series Ram Single-Acting Aluminum



MODEL	CYLINDER CAPACITY @ 10,000 PSI (700 BAR)	STROKE IN	CYLINDER EFFECTIVE AREA IN <sup>2</sup>	OIL CAPACITY IN <sup>3</sup>	COLLAPSED HEIGHT	EXTENDED HEIGHT	OUTSIDE DIAMETER	PISTON DIAMETER	WEIGHT LBS
	METRIC TON (US TON)				A	B	C	D	
					IN	IN	IN	IN	
ESA-202	20 (22)	2.13	4.39	9.32	6.38	8.50	3.74	1.97	7.70
ESA-204		4.13		18.13	8.39	12.52			9.46
ESA-206		6.14		26.93	10.37	16.52			11.44
ESA-302	30 (33)	2.13	6.85	14.56	7.38	9.51	4.29	2.56	11.44
ESA-304		4.13		28.31	9.37	13.50			13.42
ESA-306		6.14		42.06	11.38	17.52			16.72
ESA-552	50 (55)	2.13	10.99	23.35	6.75	8.88	5.28	3.15	15.84
ESA-554		4.13		45.41	8.74	12.87			19.58
ESA-556		6.14		67.47	10.75	16.89			23.98
ESA-1002	100 (103)	2.13	20.62	43.81	7.76	9.88	7.40	4.13	34.76
ESA-1006		6.26		129.00	11.75	18.01			49.50